

### NHS England IAPT Programme


# An update on the Five Year Forward View commitments for IAPT IAPT Connect 2017

Ursula James – National IAPT Programme Manager



#### One Year On...









- Designing and developing with local areas new integrated IAPT service models and business cases to support their spread – in both primary and secondary care.
- Improving the equality of access and outcomes for all adults (older people and people from minority ethnic groups are underrepresented in services. The proportion of older people in services has risen following focused local and national work to improve it, but still needs work)
- Improving the quality of services improving and sustaining the recovery rate, addressing variability, improving the outcomes for people using services in the perinatal period, improving choice of treatments in services
- Improving the productivity of services starting with encouraging appropriate use of digital services.
- Supporting the implementation of activity and outcomes based payment in IAPT
- Improving the sustainability of the IAPT workforce



- Improving the equality of access and outcomes for all adults (older people and people from minority ethnic groups are underrepresented in services. The proportion of older people in services has risen following focused local and national work to improve it, but still needs work)
  - Quality Premium 2017-2019
  - Work through Clinical Networks
  - Action Plan with actions for providers, clinical networks and commissioners
  - Awareness campaign
  - ❖ Work through Age UK
  - Conferences

8<sup>th</sup> November Reading South Region Clinical Networks
<a href="https://www.eventbrite.co.uk/e/iapt-older-adults-conference-tickets-37414276107">https://www.eventbrite.co.uk/e/iapt-older-adults-conference-tickets-37414276107</a>
22<sup>nd</sup> November Midlands Clinical Networks (not yet available to book)




22/09/2017,19:30

@sophieshaesam #IAPT Prog Manager.
#ClinicalNetworks improving access to psychological therapies for older adults.
ow.ly/xYrf30ff3hm pic.twitter.com/uCXGoala1H



### Quality Premium 17/18 and 18/19





### **Older Adults Actions**



	Liigiaiiu
Action	By Whom
Ask IAPT providers to supply activity and outcome data for Older People take up of IAPT services. This data should be	Mental Health Commissioners
compared with local population data to see if the IAPT service is meeting the needs of the older local population.	
	Clinical Networks
The following data would be useful to collect broken down by age:	
The numbers of people referred for treatment	
The numbers of people entering treatment	
The numbers of people completing treatment	
The numbers of people reaching recovery	
	Mental Health Commissioners
Incentivise IAPT services to engage older people in therapy.	iviental Health Commissioners
	M . III III C
Ensure that funding is available to ensure that IAPT services are able to offer home visits to provide treatment	Mental Health Commissioners
Ensure that all therapy staff complete the IAPT older peoples' training module. This module is embedded within current IAPT	IAPT Services
accredited training courses. People who completed their IAPT PWP & HIT training (including four modality training prior to the	
2011/12 academic year should receive the training as continuous professional development. This training provides IAPT	HEE
the rapists with knowledge and techniques that will enhance their treatment of older people.	
Ensure that IAPT service undertake outreach activity to engage older people. The IAPT programme is working with Age UK to	IAPT Services
promote IAPT services to older people. Materials have been distributed to all GPs and Age UK centres and supporters. We ask	
IAPT services to distribute materials to libraries, luncheon clubs, bowls clubs and other places that older people might get to	
see information about their IAPT service in their own localities.	
see information about their IAPT service in their own localities.	
Contact local Age UK centres to see if you can work with them to increase referrals from older people	IAPT Services
Ensure that local IAPT services are able to provide home visits as many older people may have mobility issues that mean it is	IAPT Services
difficult for them to come to your premises for treatment	
Continue to monitor the equality of access, outcome and experience of older people's use of IAPT services	IAPT Programme
Continue to work with Age UK to promote IAPT services to older people	IAPT Programme
20 10 10 11 11 11 1 10 0 11 10 11 10 11 10 11 10 11 10 10	

### Ethnicity – rates of referral



Ethnic group	Referrals Received	Referrals Received
	2014/15	2015/16
Asian or Asian British		
(Includes all)	4.77%	5.1%
Black or Black British		
(Includes all)	2.91%	3.06%
Mixed - Any Other Mixed		
Background	2.25%	2.39%
Other Ethnic Groups - Any		
Other Ethnic Group		
	1.28%	1.39%
Chinese	0.21%	0.22%
White - Any Other White		
Background	4.31%	4.28%
White - British	83.45%	82.83%
White - Irish	0.82%	0.79%




### **Ethnicity Actions**



	Liigiain
Action	By Whom
Ask IAPT providers to supply activity and outcome data for BME take up of IAPT services. This data should be compared with local population data to see if the IAPT service is meeting the needs of the local population.  The following data would be useful to collect broken down by ethnicity:  The numbers of people referred for treatment  The numbers of people entering treatment  The numbers of people completing treatment  The numbers of people reaching recovery	Mental Health Commissioners  Clinical Networks
Monitor the performance of their IAPT services in meeting the needs of their communities. IAPT services should be held to account for their performance in ensuring that people from black and minority ethnic communities are getting equitable access, outcome and experiences from IAPT services.	Mental Health Commissioners  Clinical Networks
Look to incentivise IAPT services to engage more people from BME communities	Mental Health Commissioners
Ensure high levels of data completion of ethnicity data. In 2015/16, 9.4% of IAPT clients did not have valid ethnicity data recorded.	IAPT Providers
Ensure that you have up to date and accurate ethnicity data for the area you serve to act as a benchmark.	IAPT Providers
Ensure that your IAPT service undertake outreach activity to engage people from BME communities. Faith groups and ethnic minority community groups are a useful starting point.	IAPT Providers
Try to ensure that your IAPT workforce reflect the demography of your local population, try to recruit workers who will help your staff group reflect the local community	IAPT Providers
Do not assume that any client will want to be seen by someone from their own community. This is not necessarily the case. Ask the client what they require and respond to their needs	IAPT Providers
If you are using interpreters in your service, ensure that you train your interpreters to understand the language and processes of therapy. Also ensure that you train your IAPT therapists to use interpreters effectively.	IAPT Providers
Continue to monitor the equality of access, outcome and experience of people from black, Asian and minority ethnic communities use of IAPT services	IAPT Programme
Ensure that the Good Practice Case Studies, on the barriers to BME communities using IAPT services and how these have been overcome to improve both access and outcomes, is widely disseminated to IAPT services and mental health commissioners through Clinical Networks	IAPT Programme



- Improving the quality of services improving and sustaining the recovery rate, addressing variability, improving the outcomes for people using services in the perinatal period, improving choice of treatments in services
  - ❖ Perinatal Mapping Exercise Q4 16/17
  - \* Recovery rate met for first time January 2017 nationally
  - ❖ Working with clinical networks to address variation





### Improving quality and reducing variance







## The Improving Access to Psychological Therapies Manual

Commissioned by NHS England

NATIONAL COLLABORATING CENTRE FOR MENTAL HEALTH





• Improving the productivity of services – starting with encouraging appropriate use of digital services.

❖ James Woollard to present on Digital work streams and use of digital methods of delivering NICE approved evidence based treatments







- Supporting the implementation of activity and outcomes based payment in IAPT
  - ❖ National Tariff activity and outcomes-based payment in IAPT from April 2018

#### Policy objectives

FYFVMH - Recommended payment system that will increase transparency in the payment system and support improvements by linking payment to quality and outcome measures

#### 2017/19 National Tariff

Local pricing rule 8 requires:

- the adoption an outcomes-based payment approach
- use of the 10 national outcome measures collected in the IAPT data set

Work jointly led by NHS England and NHS Improvement

FAQs are being developed

All services must be clustering patients now to establish a baseline and develop a local tariff





Improving the sustainability of the IAPT workforce

- ❖ Recruitment of Workforce Wellbeing Project Manager Rebecca Minton
- Scoping the work done so far
- Literature Review
- **❖** Working with HEE
- ❖ Wellbeing and sustainability section in IAPT Manual (NCCMH EBTP)





- Designing and developing with local areas new integrated IAPT service models and business cases to support their spread – in both primary and secondary care.
  - FYFV Commitments: Integrated IAPT services
    - Two thirds of expansion, by 2020/21, to be 'Integrated IAPT' services integrated with physical health pathways for people with long term conditions or distressing and persistent medically unexplained symptoms.
    - In **2016/17** and **2017/18**: Early Implementers supported centrally



## Lessons from the research literature and IAPT to date: why integrate?



#### **LTCs**

- People with depression and/or anxiety disorders who also have LTCs are already being seen in IAPT but have been under-represented
- Treating mental health problems reduces physical health care costs by around 20% and mainly pays for itself (Layard & Clark, 2014). Local example: Hillingdon & COPD.
- **Best outcomes** are achieved with adapted treatments that take into account the LTC and are embedded in its care pathway (LTC Pathfinder Results).



## Lessons from the research literature and IAPT to date: why integrate?



#### **MUS**

- Medically unexplained symptoms are common. Individuals with persistent and distressing MUS can be severely disabled and are frequent users of the NHS
- RCTs have shown that psychological therapies are effective. The therapies are mainly based on CBT principles and build on the core competencies of the IAPT workforce but include additional procedures
- Engagement in treatment can be a challenge, many of the key principles have already been touched upon in HI training of health anxiety and panic disorder: e.g. positive evidence for psychological modulation, using the right terms (symptom management)

## Lessons from IAPT programme, including LTC/MUS: data is critical



- Getting outcome data on everyone is critical. It helped core IAPT go from 38% recovery (2009) to 51% now.
- LTC/MUS pilots fell below this standard important to integrate data into business as usual (session by session, data view in every supervision, IT system support, digital input).
- Integrated services need to collect some additional data on the perceived impact of the LTC and healthcare utilization (e.g. CSRI)
- Important to be clear from the beginning about what to collect, when, why, and how data completeness is monitored.

#### **IAPT-LTC** Definition



#### What defines an Integrated IAPT service?

An integrated service will expand access to psychological therapies for people with long term health conditions or MUS by providing care genuinely integrated into physical health pathways working as part of a multidisciplinary team, with therapists, who have trained in IAPT LTC/MUS top up training, providing evidence based treatments collocated with physical health colleagues.

It is important to keep this definition in mind when setting up your integrated service. It may be that, in the beginning, all these requirements are not met. However, you should be aiming for a service model which satisfies all 3 of the criteria above.




### **IAPT EI Programme**



Working with 22 areas covering 30 CCG's in Wave 1 (started from January 2017), with further 15 areas covering 38 CCG's in Wave 2 (started from April 2017)

#### Components of expansion programme:



### Learning from process so far



- There is enthusiasm in providers and CCGs to develop integrated services, and there are examples of services that are already providing psychological therapies in this way
- Joint working across NHS England national and regional teams, HEE, and the MH IST has strengthened the process and results from early implementers
- The financial context means some EI areas have had concerns about financial risk – for instance taking on staff – despite a strong savings case on integrated psychological therapies
- National direction is to support areas to make the case for the programme

   the publication of the implementation plan helped in making clear direction of travel.

### **Learning from El's- Commissioners**



- Start early! Engagement, relationships and development of pathways does take time
- Develop a good implementation plan which is co-produced, has both physical and mental health input along with service user collaboration
- Think about future proofing the investment whilst developing the implementation plan, how local evaluation evidences savings
- When developing pathways, carefully consider local nuance where lends itself to integrated working? What do the Right Care packs show?
- Mapping exercise to prevent duplicate commissioning- what is commissioned from the physical care envelope

## Learning from El's- Commissioners (2)



- Ensure there is clarity re the distinctions between IAPT LTC, Liaison
   Psychiatry and health psychology, and that the pathways between all three are clear
- Link in with existing work streams in physical health
- Can you make this work across the STP/ vanguard
- Use a patient focus group
- Use GP champions
- Consider what the GP priorities are in terms of conditions



### **Learning from El's- Providers**



- Start early- Engagement, relationships and development of pathways does take time
- Make links top down and bottom up
- Cast your net widely
- Don't underestimate the important of publicity and marketing- start this early too
- How should you brand your service to appeal to the target audience



### Learning from El's- Providers (2)



- Do you need to use alternative language
- Do you need to train PHC staff
- Can you dual train practitioners
- Be clear on the design NOT signposting- need integration and co-location
- Need to think about how to "sell" this to physical health colleagues to demonstrate the benefits

 Designing the pathway so that the service can catch people when they are first diagnosed rather than further down the pathway

### Headline figures for 16/17



133 PWP trainees were recruited as part of the expansion

121 PWP's started the LTC CPD training

23 Integrated IAPT services started delivery in January 2017

**IAPT-LTC** 

3202 patients were seen in an Integrated service in 16/17


172 HI trainees were recruited as part of the expansion

143 HI's started the LTC CPD training



#### **Plan for 17/18**







## NHS Operational Planning and Commissioning Guidance 2017-2019



- Ensure local workforce planning includes the number of therapists needed and mechanisms are in place to fund trainees.
- From 2018/19, commission IAPT services integrated with physical healthcare and supporting people with physical and mental health problems.



## NHS Operational Planning and Commissioning Guidance 2017-2019



- Overall planning of workforce should include increasing the numbers of therapists co-located in general practice by 3000 by 2020/21.
- HUGE thanks to Mayden for their help with baselining
  - We are calculating each CCG's share of the additional 4,500 therapists and the 3,000 MH therapists in primary care
  - This is based on simplistic assumptions using prevalence
  - We will share these with regions and use them a starting points for refinement based on local intelligence
  - This will be an iterative process

In wave 1 352 additional practitioners started working in primary care as a result of the expansion



### **Ensuring Rollout**

- Commissioning IAPT-LTC events in every clinical network
- Suite of guidance produced
  - FAQs
  - Evidence Based Treatment Pathway
  - Developing the business case document
  - "How To" guide
  - Local evaluation guide evidencing savings
  - Data handbook





### Thank you

